

Table 1. Pertinent Data for Fish Facility Inspections in 2010 at BONNEVILLE DAM.

CRITERIA ITEMS	DATE OF INSPECTION			
	19-Mar	22-Apr	14-May	11-Jun
<u>Bradford Island Fishway</u>				
<u>Bradford Island Entrances</u>				
Criteria: (Head Differ. = 1.0-2.0 ft); (Weir Depth + 8 ft or >); (Depth over ladder weirs = 1-1.3 ft); (Velocity + 1.5-4.0 ft)				
Head at A-Branch entrance	ft	1.6	1.5	1.7
Depth over Gate 64/65	ft	7.3	8.5	10.2
Head at South ph entrance	ft	1.3	1.0	1.0
Depth over Gate 1/2	ft	7.2	10.5	10.9
Channel Velocity	fps	2.5	2.4	1.9
Depth- Bradford Is. ladder weirs	ft	1.0	1.0	0.9
Depth - A-Branch ladder weirs	ft	1.2	1.1	1.0
Exit clean (Yes or No)		yes	yes	yes
B-Branch Entrance				
Head at B Branch entrance	ft	1.9	1.0	1.0
Staff gages clean		yes	yes	yes
Depth over ladder weir	ft	1.1	1.0	1.0
Cascades Island Entrance				
Head at main entrance	ft	1.5	1.2	1.6
Staff gages clean		yes	yes	yes
Depth over ladder weir	ft	0.9	1.0	1.0
<u>Washington Shore Fishway</u>				
<u>WA Shore Entrance:</u>				
Depth over entrance weir (Criteria = 13.0 ft or >)				
NUE	ft	10.3	14.7	13.1
NDE	ft	10.3	14.7	13.1
SUE	ft	10.3	14.6	13.1
SDE	ft	10.2	13.7	13.1
Head at entrance (Criteria = 1.0-2.0 ft)				
NUE	ft	2.2	2.0	2.1
NDE	ft	1.9	2.1	1.9
SUE	ft	1.5	1.4	1.7
SDE	ft	1.3	1.1	1.5
Depth over ladder weir (67)	ft	0.9	1.0	0.9
Channel Velocity (Elect. Meter)		NA	NA	NA
Ladder exit clean		yes	yes	yes
Staff gages clean		yes	yes	yes
Comment # (if applicable)				
Comments:				